

L Number	Hits	Search Text	DB
1	85649	spectroscop\$?	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	6575	spectroscop\$? SAME sample\$?	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	40	(spectroscop\$? SAME sample\$?) SAME ((detector NEAR3 array) OR CCD) SAME	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	6	((spectroscop\$? SAME sample\$?) SAME ((detector NEAR3 array) OR CCD)) SAME filter	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	3136	actuator WITH filter	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1	(actuator WITH filter) SAME spectroscop\$?	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	41	(actuator WITH filter) AND spectro\$?	USPAT; EPO; JPO; DERWENT; IBM_TDB
L Number	Hits	Search Text	DB
1	1618	359/889-892.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	47	359/889-892.ccls. AND filter\$? AND actuat\$?	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	17	(359/889-892.ccls. AND filter\$? AND actuat\$?) AND detect\$?	USPAT; EPO; JPO; DERWENT; IBM_TDB